

PrimeXM FIX 4.4 Trading API Specification v1.5.5

PrimeXM FIX 4.4 Trading API Specification v1.5.5

Rules of Engagement

Disclaimer

This confidential document is the property of PrimeXM and neither the document nor its contents may be disclosed to a third party, nor may it be copied, without PrimeXM's prior written consent.

PrimeXM endeavors to ensure that the data and other material in this publication are correct and complete but does not accept liability for any error herein or omissions here from. The development of PrimeXM's products and services is continuous and published information may not be up to date.

Change log 1.5.1 1.5.2

- OrderQty field (tag #38) added to Market Data Request message

Change log 1.5.2 1.5.3

- TTL field (tag #10000): added support for pending orders by extending allowed ttl values
- Added order type Stop (tag 40=3) to New Order Single and Execution Report
- Added new application message type: Order Cancel Request

Change log 1.5.3 1.5.4

- Added new application message type: Order Status Request

Change log 1.5.4 1.5.5

- Added examples for all message types

Contents

[Introduction](#) | [Connectivity](#) | [Messages](#) | [Support and FAQs](#)

Introduction

- Scope of this document

This document is intended to serve software developers as an implementation guide for the PrimeXM FIX API.

- FIX version

PrimeXM supports FIX version 4.4. For further information about this version please refer to the specifications published by the FIX Protocol Organization under <http://www.fixprotocol.org/specifications/FIX.4.4>

- FIX sessions

For better separation of pricing and trading data, clients need to establish two separate FIX connections (with two separate login credentials) to the PrimeXM FIX Server, one for pricing and one for trading data.

Connectivity

- Connection type

Connection to PrimeXM's FIX engine is available over the Internet, VPN tunnel or cross-connect to our data center facilities in UK (London) and US (New York), and JP (Tokyo). Please contact us for further details.

- Hours of operations

Connectivity to PrimeXM's FIX engine is available from FRI 17:05:30 till FRI 17:05:00 (America/New_York).

- Sequence number reset

There is a weekly sequence reset window on FRI 17:05:00 - 17:05:30 (America/New_York) on all connections (pricing and trading). Trading connections have to be configured to persist sequence numbers on logon (141=N). Pricing connections have to be

configured to reset sequence numbers on logon (141=Y).

- Security and authentication

PrimeXM uses SSL to secure the FIX trading sessions and will provide all necessary details. Pricing sessions are not SSL encrypted in general. Once the connection to the PrimeXM FIX server is established the client has to authenticate against the server with a username and password added to the logon (MsgType=A) message.

Messages

- As defined in the FIX protocol, the PrimeXM FIX server is using two different data levels: Session and Application. The Session level handles the delivery of data and the Application level defines the business-related data content. The following session and application messages are supported by the PrimeXM FIX Engine:

Session messages:

- Heartbeat (Client PrimeXM)
- Test Request (Client PrimeXM)
- Logon (Client PrimeXM)
- Logout (Client PrimeXM)
- Resend Request (Client PrimeXM)
- Reject (Client PrimeXM)
- Sequence Reset (Client PrimeXM)

Application messages:

- Market Data Request (Client PrimeXM)
- Market Data Request Reject (Client PrimeXM)
- Mass Quote (Client PrimeXM)
- Mass Quote Acknowledgement (Client PrimeXM)
- New Order Single (Client PrimeXM)
- Order Cancel Request (Client PrimeXM)
- Order Status Request (Client PrimeXM)
- Execution Report (Client PrimeXM)

Standard messages

Standard header

Tag	Field name	Req'd	Comments
8	BeginString	Y	Identifies beginning of new message and protocol version (always first field in message)
9	BodyLength	Y	Message length (in bytes) forward to the CheckSum field (always second field in message)
35	MsgType	Y	Defines message type (always 3rd tag in message)
49	SenderCompID	Y	Assigned value used to identify the client sending messages (will be provided by PrimeXM)
56	TargetCompID	Y	Assigned value used to identify receiving party (will be provided by PrimeXM)
34	MsgSeqNum	Y	Integer message sequence number
50	SenderSubID	N	Optional. Assigned value used to identify specific message originator (desk, trader, etc.) (will be provided by PrimeXM if necessary)
52	SendingTime	Y	Message transmission time in UTC/GMT

Standard trailer

Tag	Field name	Req'd	Comments
10	Checksum	Y	Three digit character representing the checksum value of the message

Session Messages

Heartbeat

Tag	Field name	Req'd	Comments
	Standard Header	Y	MsgType=0

112	TestReqID	N	Req'd when the heartbeat is the result of a Test Request message
	Standard Trailer	Y	

▼ [Heartbeat Example](#)

8=FIX.4.4 9=80 35=0 49=T01 56=XCxxx 34=23667 52=20151105-12:26:48.467 10=252

[Test Request](#)

Tag	Field name	Req'd	Comments
	Standard Header	Y	MsgType=1
112	TestReqID	Y	A unique identifier for this test message
	Standard Trailer	Y	

▼ [Test Request Example](#)

8=FIX.4.4 9=103 35=1 49=T01 56=XCxxx 34=23675 52=20151105-12:30:53.466 112=500041853466910000 10=132

[Logon](#)

Tag	Field name	Req'd	Comments
	Standard Header	Y	MsgType=A
98	EncryptMethod	Y	Use of Encryption, set to "0"
108	HeartBtInt	Y	Heart beat interval in seconds
141	ResetSeqNumFlag	N	Indicates both sides of a FIX session should reset sequence numbers
553	Username	Y	Username (provided by PrimeXM)
554	Password	Y	Password (provided by PrimeXM)
	Standard Trailer	Y	

▼ [Logon Example](#)

Request (Client PrimeXM):

8=FIX.4.4 9=101 35=A 34=1 49=Q0XX 52=20150513-09:13:42.342 56=XCxxx 98=0 108=30 141=Y 553=name_q 554=password 10=108

Reply (Client PrimeXM):

8=FIX.4.4 9=91 35=A 34=3 49=Q0XX 52=20150513-09:13:42.343 56=XCxxx 98=0 108=30 10=117

[Logout](#)

Tag	Field name	Req'd	Comments
	Standard Header	Y	MsgType=5
58	Text	N	Reason for logout
	Standard Trailer	Y	

▼ [Logout Example](#)

Request (Client PrimeXM):

8=FIX.4.4 9=51 35=5 34=148 49=Q0XX 52=20150513-09:13:42.343 56=XCxxx 10=224

Reply (Client PrimeXM):

8=FIX.4.4 9=50 35=5 34=53 49=Q0XX 52=20150513-09:13:42.344 56=XCxxx 10=170

[Resent Request](#)

Tag	Field name	Req'd	Comments
	Standard Header	Y	MsgType=2
7	BeginSeqNo	Y	

16	EndSeqNo	Y	
	Standard Trailer	Y	

▼ Resend Request Example

8=FIX.4.4 9=68 35=2 34=89279 49=T01 52=20151102-09:11:56.650 56=XCxxx 7=93784 16=0 10=002

Reject

Tag	Field name	Req'd	Comments
	Standard Header	Y	MsgType=3
45	RefSeqNum	Y	MsgSeqNum of rejected message
371	RefTagID	N	The tag number of the FIX field being referenced
372	RefMsgType	N	The MsgType of the FIX message being referenced
373	SessionRejectReason	N	Code to identify reason for a session-level
	Standard Trailer	Y	

▼ Reject Request Example

8=FIX.4.4 9=68 35=3 34=89279 49=T01 52=20151102-09:11:56.650 56=XCxxx 7=93784 16=0 10=002

Sequence Reset

Tag	Field name	Req'd	Comments
	Standard Header	Y	MsgType=4
123	GapFillFlag	N	
36	NewSeqNo	Y	
	Standard Trailer	Y	

▼ Sequence Reset Example

8=FIX.4.4 9=97 35=4 34=93784 43=Y 49=XCxxx 52=20151102-09:11:50.760 56=T01 122=20151102-09:11:50 36=93786 123=Y 10=184

▼ Sequence Reset Example Full

in : 8=FIX.4.4 9=113 35=A 34=89278 49=T01 52=20151102-09:11:56.588 56=XCxxx 98=0 108=10 141=N 553=primexm_client_t
554=Gpf8oep7FAKb 10=129

-----evt: Received logon

-----evt: Responding to Logon request

out: 8=FIX.4.4 9=67 35=A 34=93785 49=XCxxx 52=20151102-09:11:50.679 56=T01 98=0 108=10 10=208

in : 8=FIX.4.4 9=68 35=2 34=89279 49=T01 52=20151102-09:11:56.650 56=XCxxx 7=93784 16=0 10=002

-----evt: Received ResendRequest FROM: 93784 TO: infinity

out: 8=FIX.4.4 9=97 35=4 34=93784 43=Y 49=XCxxx 52=20151102-09:11:50.760 56=T01 122=20151102-09:11:50 36=93786 123=Y
10=184

-----evt: Sent SequenceReset TO: 93786

out: 8=FIX.4.4 9=55 35=0 34=93786 49=XCxxx 52=20151102-09:12:00.902 56=T01 10=151

in : 8=FIX.4.4 9=55 35=0 34=89280 49=T01 52=20151102-09:12:06.806 56=XCxxx 10=154

Application Messages

Market Data Request

Tag	Field name	Req'd	Comments
	Standard header	Y	MsgType = V
262	MDReqID	Y	Unique request id. As this value will be reflected in tag 302 of the MassQuote message the accepted length is limited to a maximum of 3 characters

263	SubscriptionRequestType	Y	<p>1 = Snapshot plus updates (subscribe)</p> <p>2 = Disable previous snapshot plus update request (unsubscribe)</p> <p>3 = Snapshot*</p> <p>*) The Snapshot request type is only available on demo FIX connections and is intended to be used to verify, on the client side, the correctness of the processing logic for the incremental streaming mode. (In normal operation mode, a MarketDataRequest message with a specific MDRReqID value and 263=1 subscription type is used to request a continuous, incremental stream of prices; if on an already active stream another MarketDataRequest message is sent, with the same MDRReqID but with 263=3, then the engine will also send a MarketDataFullRefresh message right after the next MassQuote message, giving the client the ability to compare the computed book based on the incremental messages with the book delivered in the MarketDataFullRefresh message.)</p>	
264	MarketDepth	N**	<p>Specifies the number of layers requested.</p> <p>0 = full book</p> <p>>0 = number of layers</p>	
38	OrderQty	N**	<p>Specifies the cumulative sum of liquidity (i.e. quantity) of the layers to be sent to the client.</p> <p>A sufficient number of layers will be sent, to cover the requested quantity. If a value larger than the sum of all available layers is requested, the full book will be sent.</p> <p>The number of layers can be restricted by specifying the upper limit in the MarketDepth field.</p> <p>**) MarketDepth and OrderQty can be used independently or together. It is recommended that OrderQty is used, as it offers a more meaningful approach to requests.</p>	
7533	StreamReference	N	Specifies the stream. Only needed if a client is configured for several streams.	
146	NoRelatedSym	Y	Always set to 1	
	55	Symbol	Y	Name of the symbol
	Standard Trailer		Y	

Market Data Request Example

Single Stream:

8=FIX.4.4 9=86 **35=V** 34=4 49=Q047 52=20150415-06:56:14.952 56=XCxxx 262=3 263=1 264=0 146=1 55=EUR/USD 10=008

Multiple Streams:

8=FIX.4.49=114**35=V**34=249=Q006 52=20151204-21:05:44.224 56=XCxxx146=1 55=AUD/CAD 262=0 263=1264=1267=2269=0269=1 **7533=stream_1**10=071

8=FIX.4.49=114**35=V**34=249=Q006 52=20151204-21:05:44.224 56=XCxxx 146=1 55=AUD/CAD 262=0 263=1264=1267=2269=0269=1 **7533=stream_2** 10=071

Market Data Request Reject

Tag	Field name	Req'd	Comments
	Standard Header	Y	MsgType=Y
262	MDReqID	Y	ID of the market data request
58	Text	N	Reason for market data request being rejected
	Standard Trailer	Y	

Market Data Request Reject Example

8=FIX.4.4 9=105 **35=Y** 34=1567 49=T01 52=20151105-13:08:06.797 56=XCxxx 58=symbol not found 262=0 10=081

Mass Quote

Tag	Field name	Req'd	Comments
	Standard Header	Y	MsgType=i

117	QuoteID	N	If QuoteID is set the client has to respond immediately with a MassQuoteAcknowledgement message reflecting this value in tag 117
296	NoQuoteSets	Y	Number of Quote sets following
302	QuoteSetID		The MDRReqID (tag 262 of the MarketDataRequest). Use this value to identify the symbol to which the data in this specific QuoteSet refers to.
295	NoQuoteEntries		Number of quote entries
299	QuoteEntryID	Y	Unique Market Data Identifier (0 <= x < depth). The current QuoteSet data replaces prior QuoteSet data received under the same QuoteEntryID NOTE: Tag 299 is only a key denoting the individual stream and is used to replace the most up to date information in that stream. It does not denote the position of the price update in the book.
134	BidSize	N	Maximum bid size. Not set = no changes. -1 = quote cancel
135	OfferSize	N	Maximum offer size. Not set= no changes. -1 = quote cancel
188	BidSpotRate	N	Spot bid rate. Not set = no changes
190	OfferSpotRate	N	Spot ask rate. Not set = no changes
	Standard Trailer	Y	

▼ [Mass Quote Example](#)

8=FIX.4.4 9=103 35=1 49=T01 56=XCxxx 34=23675 52=20151105-12:30:53.466 112=500041853466910000 10=132

[Mass Quote Acknowledgement](#)

Tag	Field name	Req'd	Comments
	Standard Header	Y	MsgType=b
117	QuoteID	Y	QuoteID copy from MassQuote message
	Standard Trailer	Y	

▼ [Mass Quote Acknowledgement Example](#)

Acknowledgement Request (Client PrimeXM):

8=FIX.4.4 9=116 35=i 34=2 49=PXMD 52=20150415-06:56:07.387 56=Q047 117=1 296=1 302=1 295=1 299=0 134=0 135=0 188=0.76036 190=0.7605 10=004

Acknowledgement Reply (Client PrimeXM):

8=FIX.4.4 9=58 35=b 34=10 49=Q047 52=20150415-06:56:15.001 56=PXMD 117=1 10=098

▼ [Pricing Session Example FULL](#)

in : 8=FIX.4.4 9=125 35=A 34=1 49=Q01 52=20151109-20:20:33.208 56=XCxxx 98=0 108=20 141=Y 553=client 554=password 10=244
out: 8=FIX.4.4 9=94 35=A 34=1 49=XCxxx 52=20151109-20:20:33.219 56=Q01 98=0 108=20 141=Y 10=178
in : 8=FIX.4.4 9=118 35=V 34=2 49=Q01 52=20151109-20:20:33.231 56=XCxxx 262=3 263=1 264=0 146=1 55=GBP/USD 15=GBP 10=236
in : 8=FIX.4.4 9=118 35=V 34=3 49=Q01 52=20151109-20:20:33.232 56=XCxxx 262=5 263=1 264=0 146=1 55=EUR/USD 15=EUR 10=022
in : 8=FIX.4.4 9=118 35=V 34=4 49=Q01 52=20151109-20:20:33.232 56=XCxxx 262=7 263=1 264=0 146=1 55=USD/SGD 15=USD 10=011
in : 8=FIX.4.4 9=119 35=V 34=5 49=Q01 52=20151109-20:20:33.232 56=XCxxx 262=10 263=1 264=0 146=1 55=USD/TRY 15=USD 10=088

out: 8=FIX.4.4 9=264 35=i 34=2 49=XCxxx 52=20151109-20:20:33.240 56=Q01 117=1 296=1 302=3 295=4 299=0 134=1000000 135=1000000 188=1.51218 190=1.51223 299=1 134=500000 135=50000 188=1.51218 190=1.51223 299=2 135=500000 190=1.51225 299=3 135=2000000 190=1.51226 10=203

in : 8=FIX.4.4 9=83 35=b 34=27 49=Q01 52=20151109-20:20:33.244 56=XCxxx 117=1 10=202

in : 8=FIX.4.4 9=120 35=V 34=13 49=Q01 52=20151109-20:20:33.253 56=XCxxx 262=121 263=1 264=0 146=1 55=AED/USD 15=AED 10=099

out: 8=FIX.4.4 9=104 35=Y 34=6 49=XCxxx 52=20151109-20:20:33.253 56=Q01 58=symbol not found 262=121 10=010

out: 8=FIX.4.4 9=436 35=i 34=7 49=XCxxx 52=20151109-20:20:33.253 56=Q01 296=2 302=43 295=4 299=0 134=1000000 135=50000 188=186.129 190=186.14 299=1 134=500000 135=1000000 188=186.127 190=186.141 299=2 135=500000 190=186.141 299=3

135=3000000 190=186.143 302=47 295=4 299=0 134=500000 135=1000000 188=0.70516 190=0.70517 299=1 134=1000000 135=2000000 188=0.70514 190=0.70518 299=2 134=500000 188=0.70514 299=3 134=2000000 188=0.70513 10=109

New Order Single

Tag	Field name	Req'd	Comments
	Standard Header	Y	MsgType=D
11	ClOrdID	Y	Must be unique identifier sent by the client. Used for response
1	Account	Y	Account ID as provided by PrimeXM
55	Symbol	Y	Symbol to trade on
15	Currency	N	The dealt currency. Side and OrderQty refer to the dealt currency. Defaults to the base currency of the symbol
54	Side	Y	Side of order in reference to tag 15: 1 = Buy 2 = Sell
38	OrderQty	Y	The order amount in reference to tag 15
40	OrdType	Y	Type of order: 1 = Market 2 = Limit 3 = Stop
44	Price	C	Conditional if tag 40=1, required if tag 40=2 or tag 40=3
110	MinQty	N	Minimum accepted fill size. Defaults to 0.0 0.0 <= x <= OrderQty If MinQty = OrderQty (tag #38) then the trade will either be fully filled or rejected. If MinQty is set to x, with 0.0 < x < OrderQty, then the trade can be partially filled in multiple deals, each deal not smaller than x.
10000	ttl	N	Time in Milliseconds an open order will stay active in the system. As the ttl expires the remaining amount of an open order will be cancelled and the order will be closed. The ttl can be any integer value >= 0 or -1 for unlimited ttl, i.e. a GTC order.
10001	deviation	N	Double value. Accepted deviation from the price submitted in tag 44. Only applicable if 40=2. Defaults to 0.0. Setting this value to 0.00002 for a sell EURUSD limit order would allow for execution on prices as low as 0.2 pips below the specified price. The preferred mode of operation for limit orders is to set tag 44 at current market price and use tag 10001 to define a specific slippage acceptance
115	subID1	N	String value
116	subID2	N	String value
526	subID3	N	String value
60	TransactTime	Y	Timestamp of order request
	Standard Trailer	Y	

▼ New Order Single Example

8=FIX.4.4 9=197 35=D 49=T01 56=XCxxx 34=22989 52=20151105-06:40:48.723 115=32155137 11=12345W 1=5629910 55=EUR/USD 54=1 38=250000 44=1.08666 40=2 10000=300 60=20151105-06:40:48.723 10=128

Order Cancel Request

Tag	Field name	Req'd	Comments
	Standard Header	Y	MsgType=F
11	ClOrdID	Y	Must be unique identifier sent by the client, the same as the value of tag 11 in the New Order Single message originally sent by the client

▼ Order Cancel Request Example

8=FIX.4.4 9=67 35=F 34=10987 49=T003 52=20151029-11:16:50.014 56=XCxxx 11=2025301 10=233

Order Status Request

Tag	Field name	Req'd	Comments
	Standard Header	Y	MsgType=H
11	ClOrdID	Y	Must be unique identifier sent by the client, the same as the value of tag 11 in the New Order Single message originally sent by the client

Order Status Request Example

8=FIX.4.4 9=67 35=H 34=10987 49=T003 52=20151029-11:16:50.014 56=XCxxx 11=2025301 10=233

Execution Report

Tag	Field name	Req'd	Comments
	Standard Header	Y	MsgType=8
11	ClOrdID	Y	Must be unique identifier sent by the client. Used for response
17	ExecID	Y	Unique identifier of execution message; will be set to "0" for ExecType(150) not "F"
150	ExecType	Y	The execution report's type. 0 = New 4 = Canceled 8 = Rejected F = Trade I = Order Status
55	Symbol	Y	
54	Side	Y	Side of order 1 = Buy 2 = Sell
38	OrderQty	Y	Quantity ordered
110	MinQty	Y	Minimum quantity ordered
40	OrdType	Y	1 = Market 2 = Limit 3 = Stop
15	Currency	Y	Dealt currency
44	Price	C	Requested price
37	OrderID	N	PrimeXM XCore order ID
39	OrdStatus	Y	Current order state. 0 = New 1 = Partially filled 2 = Filled 4 = Canceled 8 = Rejected In the case of replies to New Order Single messages, an Execution Report message with OrdStatus "New" (39 = 0) will always be followed by another order state. OrdStatus "Partially filled" will be followed by either "Filled" or "Canceled". "Filled", "Canceled" and "Rejected" are final order states. In the case of replies to Order Status Request messages, the Execution Report message (will have type ExecType = I) will reply with OrdStatus "New" (39 = 0) if the requested order is currently being processed. If the order is not currently being processed by the system, the Execution Report message will reply with OrdStatus "Rejected" (39 = 8).
32	LastQty	C	Quantity of this fill. Set when 150=F
31	LastPx	C	Price of this fill. Set when 150=F

151	LeavesQty	C	Remaining quantity open for execution
14	CumQty	C	Cumulative quantity executed
6	AvgPx	C	Average price of executed quantity
64	SettlDate	C	ValueDate of execution. Set when 150=F (when an actual fill took place)
58	Text	Y	Free format text string
60	TransactTime	C	Time the transaction represented by this ExecutionReport occurred
	Standard Trailer	Y	

▼ Execution Report Example

8=FIX.4.4 9=234 35=8 34=11067 49=XCxxx 52=20151029-12:08:20.030 56=T01 6=1.09493 11=2025301 14=10000 15=EUR 17=79407_0_0 31=1.09493 32=10000 37=79407 38=10000 39=2 40=2 44=1.095 54=1 55=EUR/USD 60=20151029-12:08:20.030 64=20151102 110=0 150=F 151=0 10=166

▼ Full Order Execution Example

Filled order:

in : 8=FIX.4.4 9=198 35=D 49=T01 56=XCxxx 34=12183 52=20151029-14:30:35.809 115=CLIENT 11=12345 1=5629910 55=GBP/AUD 54=1 38=2000 44=2.15843 40=2 10000=300 60=20151029-14:30:35.809 10=207
out: 8=FIX.4.4 9=221 35=B 34=14285 49=XCxxx 52=20151029-14:30:35.843 56=T01 11=12345 14=0.0 15=GBP 37=7570913 38=2000 39=0 40=2 44=2.15843 54=1 55=GBP/AUD 60=20151029-14:30:35.843 110=0 150=0 151=2000 526=n/a 10=242
out: 8=FIX.4.4 9=293 35=B 34=14286 49=XCxxx 52=20151029-14:30:35.849 56=T01 6=2.15543 11=12345 14=2000 15=GBP 17=7570913_0_0 31=2.15543 32=2000 37=7570913 38=2000 39=2 40=2 44=2.15843 54=1 55=GBP/AUD 60=20151029-14:30:35.849 64=20151102 76=broker_live_feed 110=0 150=F 151=0 526=n/a 10=209

Rejected order:

in : 8=FIX.4.4 9=194 35=D 49=T01 56=XCxxx 34=12290 52=20151029-14:31:39.811 115=CLIENT 11=12345 1=5629910 55=XPT/USD 54=1 38=2 44=1026.5 40=2 10000=300 60=20151029-14:31:39.811 10=022
out: 8=FIX.4.4 9=195 35=B 34=14516 49=XCxxx 52=20151029-14:31:39.845 56=T01 11=12345 14=0.0 38=2 39=8 40=2 44=1026.5 54=1 55=XPT/USD 58=reject: eur conversion not found 150=8 151=0.0 10=201

Partial fill:

in : 8=FIX.4.4 9=201 35=D 49=T01 56=XCxxx 34=12181 52=20151029-14:30:34.357 115=CLIENT 11=12345 1=5629910 55=EUR/USD 54=2 38=1000000 44=1.09443 40=2 10000=300 60=20151029-14:30:34.357 10=077
out: 8=FIX.4.4 9=227 35=B 34=14280 49=XCxxx 52=20151029-14:30:34.456 56=T01 11=12345 14=0.0 15=EUR 37=7570908 38=1000000 39=0 40=2 44=1.09443 54=2 55=EUR/USD 60=20151029-14:30:34.456 110=0 150=0 151=1000000 526=n/a 10=044
out: 8=FIX.4.4 9=305 35=B 34=14281 49=XCxxx 52=20151029-14:30:34.459 56=T01 6=1.09743 11=12345 14=150000 15=EUR 17=7570908_0_0 31=1.09743 32=150000 37=7570908 38=1000000 39=1 40=2 44=1.09443 54=2 55=EUR/USD 60=20151029-14:30:34.459 64=20151102 76=broker_live_feed 110=0 150=F 151=850000 526=n/a 10=058
out: 8=FIX.4.4 9=301 35=B 34=14282 49=XCxxx 52=20151029-14:30:34.459 56=T01 6=1.09742 11=12345 14=1000000 15=EUR 17=7570908_1_0 31=1.09742 32=850000 37=7570908 38=1000000 39=2 40=2 44=1.09443 54=2 55=EUR/USD 60=20151029-14:30:34.459 64=20151102 76=broker_live_feed 110=0 150=F 151=0 526=n/a 10=108

Support and FAQs

- For support or questions about the PrimeXM FIX Engine, please contact us via email to support@primexm.com.

Please always visit our website www.primexm.com, for the most up to date contact information.